FP collection

Stofkaart

Aiko, Baika, Basel, Cape, Chat, Clay, Coco, Eden, Havana, Java,
Moai, Noomi, Poefen, Scope, Sisters, Vera, Wood

Meubels met een glimlach

SOFT LINE

BOUCLE

342

343

346

344

345

ISOLA


348

PUNTINO

996-PW

SOFTLINE A/S
Kidnakken 7
DK-4930 Maribo
Denmark
Tel.+4554160680
info@softline.dk
SOFTLINE.DK

SOFT LINE

BOUCLE

EN

Composition:	34% Viscose, 33% Polyacrylic, 17% Wool, 8% Polyester, 4% Linen, 4% Cotton
Maintenance:	Vacuum regularly or professional Dry-clean
Abrasion Resistance:	50.000 Martindale cycles

DE

Zusammensetzung:	34% Viskose, 33% Polyacryl, 17% Wolle, 8% Polyester, 4% Leinen, 4% Baumwolle
Reinigung:	Regelmässig staubsaugen. Professionelle Trockenreinigung
Scheuerfestigkeit:	50.000 Martindale

FR

Composition:	34% Viscose, 33% Polyacrylique, 17% Laine, 8% Polyester, 4% Lin, 4% Coton
Nettoyage:	Aspirer régulièrement. Nettoyage á sec professionnel
Résistance á l'abrasion:	50.000 cycles Martindale

DK

Materiale:	34% Viskose, 33% Polyacryl, 17% Uld, 8% Polyester, 4% Linned, 4% Bomuld
Rengøring:	Støvsug regelmæssigt eller professionel rens
Slidstyrke:	50.000 Martindale

ISOLA

EN

Composition:	42% Polyester, 27% Wool, 26% Polyacrylic, 5% Cotton
Maintenance:	Vacuum regularly or professional Dry-clean
Abrasion Resistance:	60.000 Martindale cycles

DE

Zusammensetzung:	42% Polyester, 27% Wolle, 26% Polyacryl, 5% Baumwolle
Reinigung:	Regelmässig staubsaugen. Professionelle Trockenreinigung
Scheuerfestigkeit:	60.000 Martindale

FR

Composition:	42% Polyester, 27% Laine, 26% Polyacrylique, 5% Coton
Nettoyage:	Aspirer régulièrement. Nettoyage á sec professionnel
Résistance á l'abrasion:	60.000 cycles Martindale

DK

Materiale:	42% Polyester, 27% Uld, 26% Polyacryl, 5% Bomuld
Rengøring:	Støvsug regelmæssigt eller professionel rens
Slidstyrke:	60.000 Martindale

PUNTINO

EN

Composition:	42% Viscose, 32% Linen, 11% Polyester, 9% Cotton, 6% Polyamide
Maintenance:	Vacuum regularly or professional Dry-clean
Abrasion Resistance:	100.000 Martindale cycles

DE

Zusammensetzung:	42% Viscose, 32% Leinen, 11% Polyester, 9% Baumwolle, 6% Polyamid
Reinigung:	Regelmässig staubsaugen. Professionelle Trockenreinigung
Scheuerfestigkeit:	100.000 Martindale

FR

Composition:	42% Viscose, 32% Laine, 11% Polyester, 9% Coton, 6% Polyamide
Nettoyage:	Aspirer régulièrement. Nettoyage á sec professionnel
Résistance á l'abrasion:	100.000 cycles Martindale

DK

Materiale:	42% Viskose, 32% Linned, 11% Polyester, 9% Bomuld, 6% Polyamid
Rengøring:	Støvsug regelmæssigt eller professionel rens
Slidstyrke:	100.000 Martindale

SOFTLINE A/S
Kidnakken 7
DK-4930 Maribo
Denmark
Tel.+4554160680
info@softline.dk
SOFTLINE.DK

SOFT
LINE

CENTO


470


471


472

SOFTLINE A/S
Kidnakken 7
DK-4930 Maribo
Denmark
Tel.+4554160680
info@softline.dk
SOFTLINE.DK

SOFT
LINE

CENTO

EN

Composition:	85% Cotton, 15% Polyester
Maintenance:	Vacuum regularly or professional Dry-clean
Abrasion Resistance:	35.000 Martindale cycles
Flammability:	EN 1021 part 1&2

DE

Zusammensetzung:	85% Baumwolle, 15% Polyester
Reinigung:	Regelmässig staubsaugen. Professionelle Trockenreinigung
Scheuerfestigkeit:	35.000 Martindale
Feuerschutz:	EN 1021 part 1&2

FR

Composition:	85% Coton, 15% Polyester
Nettoyage:	Aspirer régulièrement. Nettoyage á sec professionnel
Résistance á l'abrasion:	35.000 cycles Martindale
Normes au feu:	EN 1021 source d'ignition 1&2

DK

Materiale:	85% Bomuld, 15% Polyester
Rengøring:	Støvsug regelmæssigt eller professionel rens
Slidstyrke:	35.000 Martindale
Flammesikring:	EN 1021 part 1&2

SOFTLINE A/S
Kidnakken 7
DK-4930 Maribo
Denmark
Tel.+4554160680
info@softline.dk
SOFTLINE.DK

SOFT LINE

ECO COTTON

511

512

513

514


515


516

517

518


519


520

521

522

523

SOFTLINE A/S
Kidnakken 7
DK-4930 Maribo
Denmark
Tel.+4554160680
info@softline.dk
SOFTLINE.DK

ECO COTTON

EN

Composition:	75% Cotton, 20% Poly Acrylic, 5% Other Fibers
Maintenance:	Vacuum regularly or professional Dry-clean
Abrasion Resistance:	40.000 Martindale cycles
Flammability:	EN 1021 part 1&2

DE

Zusammensetzung:	75% Baumwolle, 20% Poly Akryl, 5% Andere Faser
Reinigung:	Regelmässig staubsaugen. Professionelle Trockenreinigung
Scheuerfestigkeit:	40.000 Martindale
Feuerschutz:	EN 1021 part 1&2

FR

Composition:	75% Coton, 20% Polyacryl, 5% Autres fibres
Nettoyage:	Aspirer régulièrement. Nettoyage á sec professionnel
Résistance á l'abrasion:	40.000 cycles Martindale
Normes au feu:	EN 1021 source d'ignition 1&2

DK

Materiale:	75% Bomuld, 20% Poly Akryl, 5% Andre Fibre
Rengøring:	Støvsug regelmæssigt eller professionel rens
Slidstyrke:	40.000 Martindale
Flammesikring:	EN 1021 part 1&2

SOFTLINE A/S
Kidnakken 7
DK-4930 Maribo
Denmark
Tel.+4554160680
info@softline.dk
SOFTLINE.DK

SOFT LINE

FELT MELANGE

582

610

612

619

620

623

635

640

641

642

650

651

652

846

847

848

849

855

858

859

SOFTLINE A/S
Kidnakken 7
DK-4930 Maribo
Denmark
Tel.+4554160680
info@softline.dk
SOFTLINE.DK

SOFT
LINE

FELT MELANGE

EN

Composition:	70% Wool, 25% Polyamide, 3% Acrylic, 2% Polyester
Maintenance:	Vacuum regularly or professional Dry-clean
Abrasion Resistance:	90.000 Martindale cycles
Flammability:	EN 1021 part 1&2 BS 5852-1: 1979

DE

Zusammensetzung:	70% Wolle, 25% Polyamid, 3% Akryl, 2% Polyester
Reinigung:	Regelmässig staubsaugen. Professionelle Trockenreinigung
Scheuerfestigkeit:	90.000 Martindale
Feuerschutz:	EN 1021 part 1&2 BS 5852-1: 1979

FR

Composition:	70% Laine, 25% Polyamide, 3% Acryl, 2% Polyester
Nettoyage:	Aspirer régulièrement. Nettoyage á sec professionnel
Résistance á l'abrasion:	90.000 cycles Martindale
Normes au feu:	EN 1021 source d'ignition 1&2 BS 5852-1: 1979

DK

Materiale:	70% Uld, 25% Polyamide, 3% Akryl, 2% Polyester
Rengøring:	Støvsug regelmæssigt eller professionel rens
Slidstyrke:	90.000 Martindale
Flammesikring:	EN 1021 part 1&2 BS 5852-1: 1979

SOFTLINE A/S
Kidnakken 7
DK-4930 Maribo
Denmark
Tel.+4554160680
info@softline.dk
SOFTLINE.DK

SOFT LINE

FELT MELANGE

New colours

296

298

297

293


294

295

292

289

300

299

SOFTLINE A/S
Kidnakken 7
DK-4930 Maribo
Denmark
Tel.+4554160680
info@softline.dk
SOFTLINE.DK

SOFT
LINE

FELT MELANGE

EN

Composition:	70% Wool, 25% Polyamide, 3% Acrylic, 2% Polyester
Maintenance:	Vacuum regularly or professional Dry-clean
Abrasion Resistance:	90.000 Martindale cycles
Flammability:	EN 1021 part 1&2 BS 5852-1: 1979

DE

Zusammensetzung:	70% Wolle, 25% Polyamid, 3% Akryl, 2% Polyester
Reinigung:	Regelmässig staubsaugen. Professionelle Trockenreinigung
Scheuerfestigkeit:	90.000 Martindale
Feuerschutz:	EN 1021 part 1&2 BS 5852-1: 1979

FR

Composition:	70% Laine, 25% Polyamide, 3% Acryl, 2% Polyester
Nettoyage:	Aspirer régulièrement. Nettoyage á sec professionnel
Résistance á l'abrasion:	90.000 cycles Martindale
Normes au feu:	EN 1021 source d'ignition 1&2 BS 5852-1: 1979

DK

Materiale:	70% Uld, 25% Polyamide, 3% Akryl, 2% Polyester
Rengøring:	Støvsug regelmæssigt eller professionel rens
Slidstyrke:	90.000 Martindale
Flammesikring:	EN 1021 part 1&2 BS 5852-1: 1979

SOFTLINE A/S
Kidnakken 7
DK-4930 Maribo
Denmark
Tel.+4554160680
info@softline.dk
SOFTLINE.DK

SOFT LINE

FELT

579

581

588

622

624

629

636

SOFTLINE A/S
Kidnakken 7
DK-4930 Maribo
Denmark
Tel.+4554160680
info@softline.dk
SOFTLINE.DK

SOFT
LINE

FELT

EN

Composition:	80% Wool, 20% Polyamide
Maintenance:	Vacuum regularly or professional Dry-clean
Abrasion Resistance:	90.000 Martindale cycles
Flammability:	EN 1021 part 1&2 BS 5852-1: 1979

DE

Zusammensetzung:	80% Wolle, 20% Polyamid
Reinigung:	Regelmässig staubsaugen. Professionelle Trockenreinigung
Scheuerfestigkeit:	90.000 Martindale
Feuerschutz:	EN 1021 part 1&2 BS 5852-1: 1979

FR

Composition:	80% Laine, 20% Polyamide
Nettoyage:	Aspirer régulièrement. Nettoyage á sec professionnel
Résistance á l'abrasion:	90.000 cycles Martindale
Normes au feu:	EN 1021 source d'ignition 1&2 BS 5852-1: 1979

DK

Materiale:	80% Uld, 20% Polyamid
Rengøring:	Støvsug regelmæssigt eller professionel rens
Slidstyrke:	90.000 Martindale
Flammesikring:	EN 1021 part 1&2 BS 5852-1: 1979

SOFTLINE A/S
Kidnakken 7
DK-4930 Maribo
Denmark
Tel.+4554160680
info@softline.dk
SOFTLINE.DK

GRIFFON

SOFT LINE


501


502

503

504

505

506

507

830

995-FE

995-FF

995-TD

995-TE


995-TH

SOFTLINE A/S
Kidnakken 7
DK-4930 Maribo
Denmark
Tel.+4554160680
info@softline.dk
SOFTLINE.DK

SOFT
LINE

GRIFFON

EN

Composition:	62% Poly Acrylic, 27% Polyester, 11% Polypropylene
Maintenance:	Vacuum regularly or professional Dry-clean
Abrasion Resistance:	30.000 Martindale cycles

DE

Zusammensetzung:	62% Poly Acryl, 27% Polyester, 11% Polypropylene
Reinigung:	Regelmässig staubsaugen. Professionelle Trockenreinigung
Scheuerfestigkeit:	30.000 Martindale

FR

Composition:	62% Poly Acrylique, 27% Polyester, 11% Polypropyléne
Nettoyage:	Aspirer régulièrement. Nettoyage á sec professionnel
Résistance á l'abrasion:	30.000 cycles Martindale

DK

Materiale:	62% Poly akrylc, 27% Polyester, 11% Polypropylene
Rengøring:	Støvsug regelmæssigt eller professionel rens
Slidstyrke:	30.000 Martindale

SOFTLINE A/S
Kidnakken 7
DK-4930 Maribo
Denmark
Tel.+4554160680
info@softline.dk
SOFTLINE.DK

SOFT LINE

MAREMOSSO

530

531

532

533

534

535

536

995-kc

995-kb

SOFTLINE A/S
Kidnakken 7
DK-4930 Maribo
Denmark
Tel.+4554160680
info@softline.dk
SOFTLINE.DK

SOFT
LINE

MAREMOSSO

EN

Composition:	54% Polyester, 26% Cotton, 20% Linnen
Maintenance:	Vacuum regularly or professional Dry-clean
Abrasion Resistance:	25.000 Martindale cycles

DE

Zusammensetzung:	54% Polyester, 26% BAumwolle, 20% Linnen
Reinigung:	Regelmässig staubsaugen. Professionelle Trockenreinigung
Scheuerfestigkeit:	25.000 Martindale

FR

Composition:	54% Polyester, 26% Coton, 20% Linnen
Nettoyage:	Aspirer régulièrement. Nettoyage á sec professionnel
Résistance á l'abrasion:	25.000 cycles Martindale

DK

Materiale:	54% Polyester, 26% Bomuld, 20% Linnen
Rengøring:	Støvsug regelmæssigt eller professionel rens
Slidstyrke:	25.000 Martindale

SOFTLINE A/S
Kidnakken 7
DK-4930 Maribo
Denmark
Tel.+4554160680
info@softline.dk
SOFTLINE.DK

SOFT
LINE

NORDIC


480


481

482

483


484

485

SOFTLINE A/S
Kidnakken 7
DK-4930 Maribo
Denmark
Tel.+4554160680
info@softline.dk
SOFTLINE.DK

SOFT
LINE

NORDIC

EN

Composition:	38% Cotton, 24% Acrylic, 18% Viscose, 12% Wool, 6% Polyester, 2% Polyamid
Maintenance:	Vacuum regularly or professional Dry-clean
Abrasion Resistance:	62.000 Martindale cycles
Flammability:	EN 1021 part 1&2

DE

Zusammensetzung:	38% Baumwolle, 24% Akryl, 18% Viscose, 12% Wolle, 6% Polyester, 2%
Polyamid Reinigung:	Regelmässig staubsaugen. Professionelle Trockenreinigung
Scheuerfestigkeit:	62.000 Martindale
Feuerschutz:	EN 1021 part 1&2

FR

Composition:	38% Coton, 24% Acryl, 18% Viscose, 12% Laine, 6% Polyester, 2% Polyamid
Nettoyage:	Aspirer régulièrement. Nettoyage á sec professionnel
Résistance á l'abrasion:	62.000 cycles Martindale
Normes au feu:	EN 1021 part 1&2

DK

Materiale:	38% Bomuld, 24% Akryl, 18% Viscose, 12% Uld, 6% Polyester, 2% Polyamid
Rengøring:	Støvsug regelmæssigt eller professionel rens
Slidstyrke:	62.000 Martindale
Flammesikring:	EN 1021 part 1&2

SOFTLINE A/S
Kidnakken 7
DK-4930 Maribo
Denmark
Tel.+4554160680
info@softline.dk
SOFTLINE.DK

SOFT LINE

TEMPO / SILVERTEX (Silverguard)

273

274

988-JL

276

279


275

271

999-SS

999-SE

277

278

SOFTLINE A/S
Kidnakken 7
DK-4930 Maribo
Denmark
Tel.+4554160680
info@softline.dk
SOFTLINE.DK

TEMPO / SILVERTEX

EN

Composition:	100% Vinyl Backing: 100% Polyester
Maintenance:	Vacuum regularly, professional Dry-clean or wipe with a damp cloth
Abrasion Resistance:	300.000 Martindale cycles
Flammability:	EN 1021 part 1&2 NF P92-503 / M2

DE

Zusammensetzung:	100% Vinyl Rückseite: 100% Polyester
Reinigung:	Regelmässig staubsaugen. Professionelle Trockenreinigung Alternativ dazu mit einem feuchten abwischen
Scheuerfestigkeit:	300.000 Martindale
Feuerschutz:	EN 1021 part 1&2 NF P92-503 / M2

FR

Composition:	100% Vinyl Backing: 100% Polyester
Nettoyage:	Aspirer régulièrement. Nettoyage á sec professionnel, sinon essuyer avec un linge humide
Résistance á l'abrasion:	300.000 cycles Martindale
Normes au feu:	EN 1021 part 1&2 NF P92-503 / M2

DK

Materiale:	100% Vinyl Backing: 100% Polyester
Rengøring:	Støvsug regelmæssigt, professionel rens eller tør med en fugtig klud
Slidstyrke:	300.000 Martindale
Flammesikring:	EN 1021 part 1&2 NF P92-503 / M2

Reference TEMPO / SILVERTEX

271 TEMPO / SILVERTEX 122-5008 Pistacho
273 TEMPO / SILVERTEX 122-4004 Ice
274 TEMPO / SILVERTEX 122-4001 Plata
275 TEMPO / SILVERTEX 122-9002 Carbon
276 TEMPO / SILVERTEX 122-0009 Taupe
277 TEMPO / SILVERTEX 122-2011 Red
278 TEMPO / SILVERTEX 122-3007 Sapphire
279 TEMPO / SILVERTEX 122-4024 Meteor
999-SE TEMPO / SILVERTEX 122-1014 Umber
988-JL TEMPO / SILVERTEX 122-4011 Sterling
999-SS TEMPO / SILVERTEX 122-5020 Basil

SOFTLINE A/S
Kidnakken 7
DK-4930 Maribo
Denmark
Tel.+4554160680
info@softline.dk
SOFTLINE.DK

SOFT
LINE

TUNDRA

474

475

476

478


479


996-EC

996-EF

SOFTLINE A/S
Kidnakken 7
DK-4930 Maribo
Denmark
Tel.+4554160680
info@softline.dk
SOFTLINE.DK

SOFT
LINE

TUNDRA

EN

Composition:	42% Viscose, 38% Cotton, 14% Poly acrylic, 6% Polyester
Maintenance:	Vacuum regularly or professional Dry-clean
Abrasion Resistance:	30.000 Martindale cycles
Flammability:	EN 1021 part 1&2

DE

Zusammensetzung:	42% Viscose, 38% Baumwolle, 14% Poly Akryl, 6% Polyester
Reinigung:	Regelmässig staubsaugen. Professionelle Trockenreinigung
Scheuerfestigkeit:	30.000 Martindale
Feuerschutz:	EN 1021 part 1&2

FR

Composition:	42% Viscose, 38% Coton, 14% Poly acryl, 6% Polyester
Nettoyage:	Aspirer régulièrement. Nettoyage á sec professionnel
Résistance á l'abrasion:	30.000 cycles Martindale
Normes au feu:	EN 1021 part 1&2

DK

Materiale:	42% Viscose, 38% Bomuld, 14% Poly akryl, 6% Polyester
Rengøring:	Støvsug regelmæssigt eller professionel rens
Slidstyrke:	30.000 Martindale
Flammesikring:	EN 1021 part 1&2

SOFTLINE A/S
Kidnakken 7
DK-4930 Maribo
Denmark
Tel.+4554160680
info@softline.dk
SOFTLINE.DK

SOFT LINE

VALENCIA

998-SE

999-RQ

999-RG

999-RF

998-DO

268

262


259

264

265

258

266

269

267

SOFTLINE A/S
Kidnakken 5
DK-4930 Maribo
Denmark
Tel.+4554160680
info@softline.dk
SOFTLINE.DK

VALENCIA

EN

Composition:	100% Vinyl Backing: 100% Polyester
Maintenance:	Vacuum regularly, professional Dry-clean or wipe with a damp cloth
Abrasion Resistance:	300.000 Martindale cycles
Flammability:	EN 1021 part 1&2 NF P92-503 / M2

DE

Zusammensetzung:	100% Vinyl Rückseite: 100% Polyester
Reinigung:	Regelmässig staubsaugen. Professionelle Trockenreinigung Alternativ dazu mit einem feuchten abwischen
Scheuerfestigkeit:	300.000 Martindale
Feuerschutz:	EN 1021 part 1&2 NF P92-503 / M2

FR

Composition:	100% Vinyl Backing: 100% Polyester
Nettoyage:	Aspirer régulièrement. Nettoyage á sec professionnel, sinon essuyer avec un linge humide
Résistance á l'abrasion:	300.000 cycles Martindale
Normes au feu:	EN 1021 part 1&2 NF P92-503 / M2

DK

Materiale:	100% Vinyl Backing: 100% Polyester
Rengøring:	Støvsug regelmæssigt, professionel rens eller tør med en fugtig klud
Slidstyrke:	300.000 Martindale
Flammesikring:	EN 1021 part 1&2 NF P92-503 / M2

Reference VALENCIA
258 VALENCIA 107-2075 Red
259 VALENCIA 107-9035 Black
262 VALENCIA 107-8032 White
264 VALENCIA 107-0020 Mocha
265 VALENCIA 107-6019 Orange
266 VALENCIA 107-5041 Apple
267 VALENCIA 107-3001 Lavender
268 VALENCIA 107-0034 Taupe
269 VALENCIA 107-4043 Platinum
998-DO VALENCIA 107-0002 Cognac
998-SE VALENCIA 107-2111 Squash
999-RQ VALENCIA 107-6013 Melone
999-RG VALENCIA 107-6003 Nectarine
999-RF VALENCIA 107-5001 Olive

SOFTLINE A/S
Kidnakken 5
DK-4930 Maribo
Denmark
Tel.+4554160680
info@softline.dk
SOFTLINE.DK

SOFT LINE

VELVET

308


309


310

311

312

303


304

288


305

306

SOFTLINE A/S
Kidnakken 7
DK-4930 Maribo
Denmark
Tel.+4554160680
info@softline.dk
SOFTLINE.DK

SOFT
LINE

VELVET

EN

Composition:	100% Polyester
Maintenance:	Vacuum regularly or professional Dry-clean
Abrasion Resistance:	40.000 Martindale cycles

DE

Zusammensetzung:	100% Polyester
Polyamid Reinigung:	Regelmässig staubsaugen. Professionelle Trockenreinigung
Scheuerfestigkeit:	40.000 Martindale

FR

Composition:	100% Polyester
Nettoyage:	Aspirer régulièrement. Nettoyage á sec professionnel
Résistance á l'abrasion:	40.000 cycles Martindale

DK

Materiale:	100% Polyester
Rengøring:	Støvsug regelmæssigt eller professionel rens
Slidstyrke:	40.000 Martindale

SOFTLINE A/S
Kidnakken 7
DK-4930 Maribo
Denmark
Tel.+4554160680
info@softline.dk
SOFTLINE.DK

SOFT LINE

VISION

457

445


526

439


443

449


399

446


395

452


442


455

450

441


527


528

396

454


397

448

453


398

SOFTLINE A/S
Kidnakken 7
DK-4930 Maribo
Denmark
Tel.+4554160680
info@softline.dk
SOFTLINE.DK

SOFT
LINE

VISION

EN

Composition:	85% Cotton, 15% Polyester
Maintenance:	Vacuum regularly or professional Dry-clean
Abrasion Resistance:	35.000 Martindale cycles
Flammability:	EN 1021 part 1&2

DE

Zusammensetzung:	85% Baumwolle, 15% Polyester
Reinigung:	Regelmässig staubsaugen. Professionelle Trockenreinigung
Scheuerfestigkeit:	35.000 Martindale
Feuerschutz:	EN 1021 part 1&2

FR

Composition:	85% Coton, 15% Polyester
Nettoyage:	Aspirer régulièrement. Nettoyage á sec professionnel
Résistance á l'abrasion:	35.000 cycles Martindale
Normes au feu:	EN 1021 part 1&2

DK

Materiale:	85% Bomuld, 15% Polyester
Rengøring:	Støvsug regelmæssigt eller professionel rens
Slidstyrke:	35.000 Martindale
Flammesikring:	EN 1021 part 1&2

SOFTLINE A/S
Kidnakken 7
DK-4930 Maribo
Denmark
Tel.+4554160680
info@softline.dk
SOFTLINE.DK

FABRICS

SOFT LINE

To see the complete collection of fabrics offered by SOFTLINE, click the links below.

Main Fabric Collection

SOFTLINE

- → BOUCLE, ISOLA & PUNTINO
- → CENTO
- → ECO COTTON
- → FELT
- → FELT MELANGE
- → FELT MELANGE NEW COLOURS
- → GRIFFON
- → MAREMOSSO
- → NORDIC
- → TEMPO / SILVERTEX
- → TUNDRA
- → VALENCIA
- → VELVET
- → VISION

KVADRAT

- → DIVINA
- → DIVINA MD
- → DIVINA MELANGE
- → HALLINGDAL
- → REMIX
- → STEELCUT
- → STEELCUT TRIO

CAMIRA

- → BLAZER
- → MAIN LINE FLAX
- → MAIN LINE PLUS
- → SYNERGY

ELMOSOFT

- → 11073 LIGHT GREY
- → 33004 BROWN
- → 99999 BLACK
- → 54035 COGNAC

SVENSSON

- → RAMI

MAHARAM

- → MERIT

STEEL AND WOOD

- → STEEL AND WOOD COLOURS

© SOFTLINE 2022

Additional Fabrics

CAMIRA

→ ERA
→ HEMP
→ OCEANIC
→ PATINA
→ QUEST
→ SUMI
→ YOREDALE

DE PLOEG

→ MONZA
→ MONZA MELANGE

GABRIEL

→ CHILI
→ CRISP
→ CURA
→ FAME
→ STEP
→ STEP MELANGE

KVADRAT

→ CANVAS 2
→ CLARA 2
→ FIORD 2
→ FOSS
→ RE-WOOL
→ TONUS 4

NEVOTEX

→ ILLUSION

Care and Maintenance
Please see: softlinefurniture.com/en/care-and-maintenance/

Removable covers and cleaning
All covers are removable for professional dry-cleaning or replacement.
Choose the correct cleaning method based on the specifications for each fabric quality.

Regarding FRAME, LUBI and ORLANDO, the covers should be removed by a professional only.

Price list covers
The price list for new covers is available on request at: info@softline.dk

Fabric samples
Fabric cards can be ordered at: info@softline.dk

© SOFTLINE 2022